

## **A Partnership for Modeling the Marine Environment of Puget Sound, Washington – Puget Sound Naval Shipyard Report**

Robert K. Johnston, Ph.D.  
Marine Environmental Support Office - NW  
Space and Naval Warfare Systems Center 23621  
4228 Fir Drive  
Bremerton, WA 98314-5001  
phone: (360) 782-0113 cell: (619) 384-6148 email: [johnston@spawar.navy.mil](mailto:johnston@spawar.navy.mil)

P.F. Wang, PhD  
Marine Environmental Quality Branch  
Space and Naval Warfare Systems Center 2362  
53475 Strothe RD  
San Diego, CA 92152-6335  
Phone: (619) 553-9192 fax: 619-553-6305 email [pfwang@spawar.navy.mil](mailto:pfwang@spawar.navy.mil)

Kenneth E. Richter, Ph.D.  
Marine Environmental Quality Branch  
Space and Naval Warfare Systems Center 2362  
53475 Strothe RD  
San Diego, CA 92152-6335  
phone: (619) 553-2780 fax: 619-553-6305 email: [richterk@spawar.navy.mil](mailto:richterk@spawar.navy.mil)

Award Number: N000140210502  
<https://swdata.spawar.navy.mil/envvest>

### **LONG-TERM GOALS**

Estuaries, fjords and sounds are important, major components of marine ecosystems worldwide. Because of this, and their generally poor treatment by man, large estuaries should be the focus of large-scale, multidisciplinary, integrative modeling efforts. We need to both understand how these systems work, and be able to predict how they will respond to changes, whether natural or anthropogenic. Puget Sound, Washington State's largest inland sea, is both the largest fjord in the lower forty-eight states and closest to the substantial urban centers of Seattle, Tacoma, Everett, Bremerton and surrounding communities. Relative to other coastal systems, Pacific Northwest fjords have seasonally high annual phytoplankton standing stock and primary production, and they support several economically valuable fisheries. Our long-term goals are to develop quantitative understanding of the seasonal and longer time-scale variabilities of the Sound's circulation, roles of water column stratification, nutrients, and light (and their interactions) on phytoplankton and zooplankton dynamics, and the sensitivity of the physical and the biological system to natural and human perturbations. We will develop models of Puget Sound that can aid agencies with responsibilities for environmental management in making informed decisions and serve as marine science education tools. A special emphasis for this component of the project is to develop an inlet-scale integrated modeling system that

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 2002</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2002 to 00-00-2002</b>	
4. TITLE AND SUBTITLE <b>A Partnership for Modeling the Marine Environment of Puget Sound, Washington - Puget Sound Naval Shipyard Report</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Marine Environmental Support Office - NW,,Space and Naval Warfare Systems Center 23621,,4228 Fir Drive,,Bremerton,,WA, 98314</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <b>Estuaries, fjords and sounds are important, major components of marine ecosystems worldwide. Because of this, and their generally poor treatment by man, large estuaries should be the focus of large-scale, multidisciplinary, integrative modeling efforts. We need to both understand how these systems work, and be able to predict how they will respond to changes, whether natural or anthropogenic. Puget Sound, Washington State's largest inland sea, is both the largest fjord in the lower forty-eight states and closest to the substantial urban centers of Seattle, Tacoma, Everett, Bremerton and surrounding communities. Relative to other coastal systems, Pacific Northwest fjords have seasonally high annual phytoplankton standing stock and primary production, and they support several economically valuable fisheries. Our long-term goals are to develop quantitative understanding of the seasonal and longer time-scale variabilities of the Sound's circulation, roles of water column stratification, nutrients, and light (and their interactions) on phytoplankton and zooplankton dynamics, and the sensitivity of the physical and the biological system to natural and human perturbations. We will develop models of Puget Sound that can aid agencies with responsibilities for environmental management in making informed decisions and serve as marine science education tools.</b>					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>8</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

will include the hydrodynamic and contaminant transport within the receiving waters of Sinclair and Dyes Inlets, the surrounding watershed, and the boundaries with the Greater Puget Sound System [1].

## **OBJECTIVES**

The Partnership for Modeling the Marine Environment of Puget Sound consists of five separate organizations: University of Washington (School of Oceanography and College of Education), King County Department of Natural Resources, Washington State Department of Ecology, Puget Sound Naval Shipyard, and Ocean Inquiry Project. The partnership will develop, maintain and operate a system of flexibly linked simulation models of Puget Sound's circulation and ecosystem, a data management system for archiving and exchanging oceanographic data and model results that are accessible to all members of the partnership as well as to the regional and oceanographic community, and an effective delivery interface for the model results and observational data for research, education and policy formulation. The partnership engages in research activities aimed at developing fundamental understanding of the Sound's working, as well as addressing practical questions raised by the regional community concerning management of the Sound and its resources. The partnership will function as an estuarine research node within the NOPP Ocean Information Commons.

## **APPROACH**

The partnership is administered from School of Oceanography, University of Washington. The lead P.I. (Kawase) will be responsible for project oversight and coordination.

Under tasking from the Puget Sound Naval Shipyard, the Space and Naval Warfare Systems Center is conducting modeling studies to develop an Inlet-scale integrated modeling capability for the Sinclair and Dyes Inlet watershed. The modeling framework will be used to conduct specific model applications to support risk analysis, watershed studies, regulatory studies, and respond to stakeholder input. The final modeling product will provide the capability to simulate, on an Inlet-scale basis, various risk management and policy alternatives.

Drs. Johnston, Wang, and Richter will be coordinating with the partnership on aspects of coupling the Inlet-scale model with the larger scale Puget Sound model, sharing data and information, and visualizing model simulations and results.

## **WORK COMPLETED**

The overarching goal of the Partnership for FY02 was to establish working teams, bring each of the independent models to a fully functional state, and begin connecting them with each other and in-situ data. Additionally, a data management system is being designed along with a web interface for basic visualization of the both model and in-situ data.

The UW Partners are preparing the Puget Sound Circulation Model for routine one-day hindcasting of the Sound's circulation. A custom-built dual-processor computer has been purchased for the model runs. They are currently developing coupling modules with the MM5 regional weather forecasting model, and we expect the routine hindcasting to begin in early October. The model will be used as a part of a study of circulation and biological productivity in Carr Inlet in the southern Puget Sound next spring. As the first entry into the data stream system described below, two undergraduate research

assistants are working this summer on plotting and calibration of all hydrographic, chemical and biological data collected during the semi-annual PRISM cruise since 1998. This data set will be made available for public download through the data stream this fall.

The UW, King Co, and Ecology Partners have been developing a computer model to describe key biogeochemical processes in Puget Sound. The Aquatic Biogeochemical Cycling (ABC) model is spatially explicit, based on published equations for biological and chemical reactions, externally forced by hydrodynamics and sunlight, and ultimately is designed to interface with a variety of circulation models including the POM. The ABC model simulates three-dimensional concentrations of dissolved oxygen, nutrients ( $\text{NO}_3$ ,  $\text{PO}_4$ ,  $\text{NH}_4$ ); phytoplankton biomass (three types); zooplankton biomass (three types); and dissolved and particulate organic matter (C, N, P; refractory and labile).

The PSNS Partners have been developing an Inlet-scale integrated modeling system for Sinclair and Dyes Inlets and the surrounding watershed. The modeling system will include hydrodynamic mixing and transport in the receiving waters, dynamic loading from the surrounding watershed, and coupling with the Greater Puget Sound System [1].

The Data and Information Management Team has established two focused working groups. The first group is focused on the data content, its quality, description, and application, available from the existing partners in the NOPP project. This group is following up on the results of a Partnership User Needs Survey involving twenty six respondents representing various state (40%), federal (20%) and county (13%) agencies, while the remaining respondents represented local, private and tribal interests. The second group is focused on the information management and distribution system for the shared data collection. The emphasis of this group has been on the implementation and integration of the Distributed Oceanographic Data System (DODS) and the NSF UNIDATA Internet Data Distribution (IDD) system. The two groups working together are implementing an architecture designed to communicate data between project partners as well as archive and distribute modeling results to end user. Currently the two working groups have completed the initial survey of user needs, drafted project specific metadata tags, outlined a management plan for review by project partners, placed a data server online and begun testing data source, sink and relay services using the DODS and IDD protocols.

The Partnership's Education and Visualization Team, which consists of members of the UW School of Education, UW Human Interface Technology Lab and Ocean Inquiry Project, have been meeting weekly to coordinate and work on various tasks. These fall into four broad categories: 1) moving the "Virtual Puget Sound" (VPS), a 3-D navigable learning environment based on M. Kawase's numerical model, from an SGI computer to a PC-based platform, 2) developing curricula using model output and VPS, as well as OIP's in-situ techniques, to educate students about circulation and oceanographic properties of Puget Sound, 3) developing assessment techniques that can measure learning in these environments, and 4) developing a browser-based interface for all (students and partners) to examine model and real data generated by the Partnership. A good start has been made on all of these, as well as working with other teams in the Partnership (e.g., the aquatic bio-geochemistry modeling team). Specifically, the team has: Moved the VPS software to a desktop computer; Completed an initial analysis of the content that can be used in learning activities that is both supported by data and models from NOPP partners and is compliant with State and national requirements for science education; Made progress in developing web-based tools that allow visualizations and manipulations of partners'

data; Developed a prototype of a tool that assesses how students organize concepts and principles they have learned.

## **RESULTS**

Because we are only five and half months into the project by the end of FY 2001-2002, no significant results to report at this point in time.

## **IMPACT/APPLICATIONS**

The following will be the concrete products of this partnership:

- A suite of simulation models for the marine environment of Puget Sound, including several newly designed models, linked in a flexible hierarchy;
- A data management system for archiving and sharing model results and observational data among the partners and with the outside community;
- A delivery interface that enables a user to interact with model results and oceanographic data according to his or her purpose and level of expertise, and that can be used as a curricular resource in schools.

The outcome of our will be scientific excellence at a regional scale and a deeper understanding of the workings of Puget Sound and of estuaries in general, fjord-type estuaries in particular. This will result in, among others, scientific publications in refereed journals authored by partnership members; curricular material for K-12 science and environmental education; and help and guidance for those who need to make decisions affecting the Sound's environment.

Further, this partnership represents a new kind of collaborative effort between academia, government and a private nonprofit organization - one that capitalizes on existing strength of each and respects the different mandate that each organization carries. We believe the experience of such collaboration will itself be a valuable one and be of interest to other regions and the nation as a whole.

## **TRANSITIONS**

No significant transitions have occurred this year since the project is still in the spin-up stage.

## **RELATED PROJECTS**

### **PSNS Project ENVVEST**

The U.S. Navy Puget Sound Naval Shipyard (PSNS), Region X of the U.S. Environmental Protection Agency (EPA), and the Washington State Department of Ecology (Ecology) have entered into an agreement to protect and improve the health of surface waters of Sinclair and Dyes Inlets and surrounding watershed by developing a more environmentally protective strategy for managing pollutant sources in the Inlets than the regulatory framework that is currently in place Phase I of the PSNS Project ENVironmental InVESTment (ENVVEST). The general approach for the project is to

develop and test a working model for watershed-based assessment and partnering. The approach would build on mutually beneficial and cooperative efforts among stakeholders and agencies by pooling resources to get better products and solve environmental problems. The ENVVEST modeling studies have three thrusts (1) developing a capability to do modeling, (2) applying models to answer specific Total Maximum Daily Loading (TMDL), ecological risk, and other regulatory questions, and (3) using calibrated and verified models to conduct scenario simulations [1].

The models selected for PSNS Project ENVVEST are Hydrological Simulation Program Fortran (HSPF) for the watershed and Curvilinear Hydrodynamics in 3-dimensions (CH3D) and Water Analysis Simulation Program (WASP) for the receiving waters. Although HSPF is a lumped parameter model, it is the only public-domain model currently available that can simulate both hydrological and water quality parameters at the watershed scale [2]. The HSPF model has been widely used, it has a large user group, and it is a commonly accepted regulatory tool [2].


Originally developed by the Army Corps of Engineers for the Chesapeake Bay estuarine system, CH3D calculates time-varying 3-dimensional numerical flow fields for water surface, velocity, salinity, and temperature to simulate vertical and horizontal mixing [3]. CH3D uses curvilinear boundary-fitted numerical grids in the horizontal plane (Figure 1). The gridding in the vertical direction is z-grid, which divides the water column into many layers of equal thickness, with number of layers varying from several layers for deeper regions to one layer for extremely shallow regions (< 3m). CH3D is capable of handling a variety of external forcing, including tides, winds, tributary flows, point and non-point sources, as well as baroclinic effects due to density differences between freshwater inflows and saline Inlet water [4]. Its open code, flexibility in defining model grids, and process-based numerical scheme makes CH3D very versatile in developing applications for coastal and estuarine systems [5]. Presently, CH3D models are being used to simulate hydrodynamics for a variety of Navy harbors including Sinclair/Dyes Inlet, Norfolk/Hampton Roads, Little Creek, and Pearl Harbor (P.F. Wang, SSC, personal communication).

The Water Analysis Simulation Program (WASP) is supported and distributed by the U.S. EPA Center for Exposure Assessment Modeling (CEAM). WASP “is a generalized framework for modeling contaminant fate and transport in surface waters. Based on the flexible compartment modeling approach, it can be applied in one, two or three dimensions and is designed to permit easy substitution of user-written routines into program structure. Problems studied using WASP framework include biochemical oxygen demand and dissolved oxygen dynamics nutrients and eutrophication, bacterial contamination, and organic chemical and heavy metal contamination” [6].

The models are being used to develop an integrated Inlet-scale modeling framework. A WASP box model has been setup to run long-term simulations (years to decades) and the kinetic subroutines from WASP have been linked directly to CH3D so that short-term dynamic simulations with finer spatial and temporal resolutions (days to months) can be calculated [7]. Presently, the grid for CH3D had been refined, a Lagrangian particle tracking module within CH3D has been used to calibrate the model with data from a drogue study [8, 9], and a module to simulate fecal coliform die off as a function of salinity, temperature and sunlight in the marine environment based on the Mancini Equation [10] has been added to the model code — CH3D-FC (P.F. Wang, SSC, personal communication). The validation of CH3D-FC with data from a dye release study conducted in the Port Washington Narrows in March 2002 [11] is ongoing and modeling scenarios are being developed to model combined sewer overflow events (CSO) within the Inlets. The model grid has been refined to provide higher resolution

of the hydrodynamics in Dyes Inlet. A PC-based user-friendly graphics software to animate CH3D modeling results is also being developed. A beta-version of computer graphic software to animate model results has been developed to visualize model performance and develop specifications for advanced graphics display. Addenda and updates for the CH3D manual will be developed to document additions and revisions to the software code [12]. Training workshops have also be held to assist in applications of the model.

Additional work is being conducted to integrate the receiving water models with fresh water inflows from the watershed [13, 14, 15], incorporate benthic flux from the sediments into the contaminant transport model [16], and apply the models to support the development of Total Maximum Daily Loads (TMDLs) for the Inlets and contributing watershed [17].



***Figure 1. CH3D model grid and bathymetry for Sinclair and Dyes Inlets and the model boundary with the Central Puget Sound.***

## REFERENCES

- [1] Puget Sound Naval Shipyard Project ENVVEST, Technical Work Master Plan, Review Draft, May 10, 2002, Prepared By PSNS Project ENVVEST Technical Steering Committee.
- [2] US EPA 2002. About BASINS 3.0 "A powerful tool for managing watersheds"  
<http://www.epa.gov/waterscience/basins/basinsv3.htm>
- [3] Johnson, B. H., Kim, K. W., Heath, R. H., Butler, H. L., and Hsieh, B. B. 1991. "User's Guide for a Three-Dimensional Numerical Hydrodynamic, Salinity, and Temperature Model of Chesapeake

Bay," Technical Report HL-91-20, US Army Engineer Waterways Experiment Station, Vicksburg, MS.

[4] Wang, P.F and K.E. Richter 1999. A Hydrodynamic Modeling Study Using CH3D for Sinclair Inlet, Draft Report. Space and Naval Warfare Systems Center, San Diego, CA, November 3, 1999.

[5] Wang, P.F. 2001. Dispersion resulting from aggregating hydrodynamic properties in water quality modeling. International Journal of Engineering Science, 39:95-112.

[6] US EPA CEAM 2001. U.S. EPA Center For Exposure Assessment Modeling: WASP. <http://www.epa.gov/ceampubl/wasp.htm>

[7] Choi, Woo-Hee, P.F. Wang, B.E. Skahill, R.K. Johnston, and Robert Ambrose, 2002. CH3D-WASP-A Linked Hydrodynamic and Water Quality Model. Paper presented at American Water Resources Association (AWRA) 2002 Spring Specialty Conference, Coastal Water Resources, New Orleans, Louisiana, May 13-15, 2002.

[8] WDOH et al. 2000. Drogue Study for Dyes Inlet Sampling Plan. September 20, 2000. Prepared by: Washington Department of Health, Shellfish Protection Division, Space and Naval Warfare Systems Center, Environmental Sciences Division, Puget Sound Naval Shipyard, Suquamish Tribe, City of Bremerton, and Concurrent Technologies Corporation.

[9] Wang, P.F., R.K. Johnston, Brad Davidson, Bart Chadwick, Woo-Hee, Choi, Steve Swanson, Frank Meriweather, Paul Williams, Mindy Fohn, Stan Olsen, and Chris Collins 2001. Lagrangian Drifts in the Tide and Wind-Driven Dyes Inlet, WA, Proceedings of the ASCE Mechanics of Engineering conference (San Diego), June 27, 2001.

[10] Mancini, J.L. 1978. Numerical Estimates of Coliform Mortality Rates Under Various Conditions. Journal WPCF (November), pp. 2477-2484.

[11] Dye Release Study in Port Washington Narrows, Sampling Plan. Prepared by PSNS ENVVEST CSO Modeling Subworking Group, February 4, 2002

[12] Brown, J. 2001 (ed). User's Guide For A Three-Dimensional Numerical Hydrodynamic, Salinity, And Temperature Model Of Sinclair Inlet. July 2001